Printing date 24.03.2021

Version number 1

mber 1 Revision: 24.03.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Water soluble PVA film
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture: For product packaging
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Zhuzhou Lanhai Packaging Co., Ltd

Dzone 5-01, Geckor Qipei Park, Taishan Road, Tianyuan District, Zhuzhou city, Hunan province, China

Tel: +86 13017100862

E-mail: 562808345@qq.com

- · Only Representative/ other EU contact point: Not available
- · Further information obtainable from: Zhuzhou Lanhai Packaging Co., Ltd
- · 1.4 Emergency telephone number:

Yingzhe XIAO Tel:13973320903

GERMANY

Poison Center Berlin - Institute of Toxicology

Tel: +49 030 192 40

- · 1.5 Reference Number: SHIN2103015635PC-SH; SHAMLP2104410402
- · 1.6 Remark:

This sample is likely to be classified as article and is out of scope of a SDS as set out in Regulation (EC) No.1907/2006. This SDS is generated for client's reference only.

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

- · Information concerning particular hazards for human and environment:
- The product has to be labelled due to the calculation procedure of Regulation (EC) No. 1272/2008.
- · Classification system:

The classification is according to the latest edition of EU Regulation (EC) No. 1272/2008, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

sodium dodecyl sulphate

- Hazard statements
- H318 Causes serious eye damage.

(Contd. on page 2)

Е

SDS Report

No. SHAMLP2104410402

Date: Mar. 24, 2021

Page 1 of 1

Zhuzhou Lanhai Packaging Co., Ltd

D zone 5-01, Geckor Qipei Park, Taishan Road, Tianyuan District, Zhuzhou city, Hunan province, China

SGS Ref. No. : SHIN2103015635PC-SH
Sample Name : Water soluble PVA film
End Uses : For product packaging

Composition/Ingredient of See Section 3 Composition/information on ingredients on the SDS

sample (as per client submission) rep

Job Receiving Date : Mar 16, 2021 Last Information Date : Mar 18, 2021

SDS Preparation Period : Mar 16 – Mar 25, 2021

Service Requested

Preparation of Safety Data Sheet (SDS) for the sample with

submitted information.

Summary :

As per request, the contents and formats of the SDS are prepared in accordance with European Commission Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and Regulation (EU) No 2015/830, and is provided per attached.

Signed for and on behalf of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Echo Cai

Approved Signatory

Trade name: Water soluble PVA film

(Contd. of page 1)

· Precautionary statements

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description:

Mixture of the substances listed below with nonhazardous additions.

For the wording of the listed hazard statements refer to Section 16.

· Composition:		
CAS: 9002-89-5	polyvinyl alcohol	80-90%
CAS: 9005-65-6 NLP: 500-019-9	Sorbitan monooleate, ethoxylated	0-15%
	sodium dodecyl sulphate ♦ Flam. Sol. 2, H228; ♦ Eye Dam. 1, H318; ↑ Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335; Aquatic Chronic 3, H412	1-8%
	glycerol substance with a Community workplace exposure limit	0-8%
	Talc (Mg3H2(SiO3)4) substance with a Community workplace exposure limit	1-2%

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Wash with water and soap and rinse thoroughly.

- If skin irritation continues, consult a doctor.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Rinse out mouth with water.

Never give anything by mouth to an unconscious person.

Seek medical treatment.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

Page 3/8

Safety data sheet Regulation (EC) No.1907/2006 and 1272/2008

Printing date 24.03.2021 Version number 1 Revision: 24.03.2021

Trade name: Water soluble PVA film

(Contd. of page 2)

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment:

Wear fully protective suit.

Mouth respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with eves.

Keep away from ignition sources.

Avoid formation of dust.

Avoid contact with skin.

Ensure adequate ventilation.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Avoid contact with eyes and skin.

Ensure good ventilation/exhaustion at the workplace.

Keep receptacles tightly sealed.

Open and handle receptacle with care.

Prevent formation of dust.

Keep away from heat and direct sunlight.

For the general occupational hygienic measures refer to Section 8.

· Information about fire - and explosion protection:

Normal measures for preventive fire protection.

Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from flammable substances.

Store away from oxidising agents.

· Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

Safety data sheet Regulation (EC) No.1907/2006 and 1272/2008

Printing date 24.03.2021 Version number 1 Revision: 24.03.2021

Trade name: Water soluble PVA film

(Contd. of page 3)

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

56-81-5 glycerol (0-8%)

AGW (Germany) Long-term value: 200 E mg/m3

2 (I);DFG, Y

14807-96-6 Talc (Mg3H2(SiO3)4) (1-2%)

MAK (Germany) asbestfaserfrei, alveolengängige Fraktion

Regulatory information

AGW (Germany): TRGS 900

MAK (Germany): MAK- und BAT-Liste

- · DNELs: Data not available.
- · PNECs: Data not available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure
- · Appropriate engineering controls

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

See Section 7 for information about design of technical facilities.

- · Personal protective equipment
- · Respiratory protection: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Safety data sheet Regulation (EC) No.1907/2006 and 1272/2008

Printing date 24.03.2021 Version number 1 Revision: 24.03.2021

Trade name: Water soluble PVA film

(Contd. of page 4)

· Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

9.1 Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form:	Solid
Colour:	Transparent
Odour:	Odorless
Odour threshold:	Data not available.
pH-value:	Data not available.
Change in condition:	
Melting point/freezing point:	Data not available.
Initial boiling point and boiling range	: Data not available.
Flash point:	Data not available.
Flammability (solid, gas):	Data not available.
Auto-ignition temperature:	Data not available.
Decomposition temperature:	Data not available.
Self-igniting:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits	
Lower:	Data not available.
Upper:	Data not available.
Oxidizing properties:	Data not available.
Vapour pressure:	Data not available.
Density:	Data not available.
Relative density:	Data not available.
Vapour density:	Data not available.
Evaporation rate:	Data not available.
Solubility in / Miscibility with	
water:	Data not available.
Partition coefficient: n-octanol/water:	Data not available.
Viscosity:	
Dynamic:	Data not available.
Kinematic:	Data not available.
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No decomposition if used according to specifications.
- · 10.2 Chemical stability Stable under recommended storage conditions.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

Safety data sheet Regulation (EC) No.1907/2006 and 1272/2008

Printing date 24.03.2021 Version number 1 Revision: 24.03.2021

Trade name: Water soluble PVA film

(Contd. of page 5)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

9002-89-5 polyvinyl alcohol

Oral LD50 14,270 mg/kg (mouse)

23,900 mg/kg (rat)

9005-65-6 Sorbitan monooleate, ethoxylated

Oral LD50 25,000 mg/kg (mouse)

151-21-3 sodium dodecyl sulphate

Oral LD50 1,290 mg/kg (rat)

56-81-5 glycerol

Oral LD50 4,090 mg/kg (mouse)

12,600 mg/kg (rat)

27,000 mg/kg (rabbit)

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.
- · 12.7 Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 7)

Safety data sheet Regulation (EC) No.1907/2006 and 1272/2008

Printing date 24.03.2021 Version number 1 Revision: 24.03.2021

Trade name: Water soluble PVA film

(Contd. of page 6)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packaging
- Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR/RID/ADN, IMDG, IATA	Not applicable.	
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Not applicable.	
14.3 Transport hazard class(es)		
ADR/RID/ADN, IMDG, IATA		
Class	Not applicable.	
Label	Not applicable.	
14.4 Packing group		
ADR/RID/ADN, IMDG, IATA	Not applicable.	
14.5 Environmental hazards	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann	nex II of	
Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	Not applicable.	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· MAK(German Maximum Workplace Concentration) 14807-96-6 Talc (Mg3H2(SiO3)4)

3B

- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- Other regulations, limitations and prohibitive regulations

· SVHC Candidate List of REACH Regulation Annex XIV Authorisation (19/1/2021)

None of the ingredients is listed.

· REACH Regulation Annex XVII Restriction (25/1/2021)

See Section 16 for information about restriction of use.

None of the ingredients is listed.

REACH Regulation Annex XIV Authorisation List (6/2/2020)

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

Page 8/8

Safety data sheet Regulation (EC) No.1907/2006 and 1272/2008

Printing date 24.03.2021 Version number 1 Revision: 24.03.2021

Trade name: Water soluble PVA film

(Contd. of page 7)

SECTION 16: Other information

Relevant hazard statements

H228 Flammable solid.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No 1272/2008

Serious eye damage/eye irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.

DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Sol. 2: Flammable solids - Category 2

Acute Tox. 4: Acute toxicity - oral - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

End of document

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3