

# SDS Report No. SHAMLP2104410402 Date: Mar. 25, 2021 Page 1 of 1

Zhuzhou Lanhai Packaging Co., Ltd

D zone 5-01, Geckor Qipei Park, Taishan Road, Tianyuan District, Zhuzhou city, Hunan province, China

SGS Ref. No.	:	SHIN2103015635PC-SH
Sample Name	:	Water soluble PVA film
End Uses	:	For product packaging
Composition/Ingredient of		See Section 3 Composition/information on ingredients on the SDS
sample (as per client submission)	•	report
Job Receiving Date	:	Mar 16, 2021
Last Information Date	:	Mar 18, 2021
SDS Preparation Period	:	Mar 16 – Mar 25, 2021
Service Requested	:	Preparation of Safety Data Sheet (SDS) for the sample with submitted information.
Summary	:	As per request, the contents and formats of the SDS are prepared in accordance with European Commission Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and Regulation (EU) No 2015/830, and is provided per attached.

Signed for and on behalf of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

the Gi

Echo Cai Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. Sourcent aparties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or rappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

3<sup>rd</sup>Building,No.889 Yishan Road Xuhui District,Shanghai China 200233 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t E&E (86-21) 61402553 f E&E (86-21)64953679 www.sgsgroup.com.cn t HL (86-21) 61402594 f HL (86-21)61156899 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

### Printing date 24.03.2021

## Version number 1

Revision: 24.03.2021

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: <u>Water soluble PVA film</u>
- 1.2 Relevant identified uses of the substance or mixture and uses advised against • Application of the substance / the mixture: For product packaging
- $\cdot$  1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Zhuzhou Lanhai Packaging Co., Ltd
   D zone 5-01, Geckor Qipei Park, Taishan Road, Tianyuan District, Zhuzhou city, Hunan province, China Tel: +86 13017100862
   E-mail: 562808345@qq.com
- · Only Representative/ other EU contact point: Not available
- · Further information obtainable from: Zhuzhou Lanhai Packaging Co., Ltd
- 1.4 Emergency telephone number: Yingzhe XIAO Tel:13973320903

GERMANY Poison Center Berlin - Institute of Toxicology Tel: +49 030 192 40

· 1.5 Reference Number: SHIN2103015635PC-SH; SHAMLP2104410402

· 1.6 Remark:

This sample is likely to be classified as article and is out of scope of a SDS as set out in Regulation (EC) No.1907/2006. This SDS is generated for client's reference only.

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Eye Dam. 1 H318 Causes serious eye damage.

### · Information concerning particular hazards for human and environment:

*The product has to be labelled due to the calculation procedure of Regulation (EC) No. 1272/2008.* • *Classification system:* 

The classification is according to the latest edition of EU Regulation (EC) No. 1272/2008, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- *The product is classified and labelled according to the CLP regulation. Hazard pictograms*



- · Signal word Danger
- Hazard-determining components of labelling: sodium dodecyl sulphate
- *Hazard statements* H318 Causes serious eye damage.

(Contd. on page 2)

Printing date 24.03.2021

Version number 1

Revision: 24.03.2021

Trade name: Water soluble PVA film

	(Contd. of page 1)	
· Precautionar	y statements	
P280	Wear eye protection / face protection.	
P305+P351+	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if	
	present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
. 2 3 Other haz	ards	

· 2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

· Description:

*Mixture of the substances listed below with nonhazardous additions. For the wording of the listed hazard statements refer to Section 16.* 

## · Composition:

· Composition.		
CAS: 9002-89-5	polyvinyl alcohol	80-90%
CAS: 9005-65-6 NLP: 500-019-9	Sorbitan monooleate, ethoxylated	0-15%
CAS: 151-21-3 EINECS: 205-788-1	sodium dodecyl sulphate Flam. Sol. 2, H228; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335; Aquatic Chronic 3, H412	1-8%
CAS: 56-81-5 EINECS: 200-289-5	glycerol substance with a Community workplace exposure limit	0-8%
CAS: 14807-96-6 EINECS: 238-877-9	Talc (Mg3H2(SiO3)4) substance with a Community workplace exposure limit	1-2%
EINECS: 238-877-9		

· Remark : All ingredients listed above are not classified according to Regulation (EC) No. 1272/2008.

### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Rinse out mouth with water.

*Never give anything by mouth to an unconscious person. Seek medical treatment.* 

- **4.2** *Most important symptoms and effects, both acute and delayed No further relevant information available.*
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)

EU

#### Printing date 24.03.2021

### Version number 1

Revision: 24.03.2021

Trade name: Water soluble PVA film

 $(Contd. \ of \ page \ 2)$ 

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

- · 5.3 Advice for firefighters
- **Protective equipment:** Wear fully protective suit. Mouth respiratory protective device.

### **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with eyes.
  Keep away from ignition sources.
  Avoid formation of dust.
  Avoid contact with skin.
  Ensure adequate ventilation.
  Use respiratory protective device against the effects of fumes/dust/aerosol.
  Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
   Use neutralising agent.
   Dispose contaminated material as waste according to item 13.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling Avoid contact with eyes and skin. Ensure good ventilation/exhaustion at the workplace. Keep receptacles tightly sealed. Open and handle receptacle with care. Prevent formation of dust. Keep away from heat and direct sunlight. For the general occupational hygienic measures refer to Section 8. · Information about fire - and explosion protection: Normal measures for preventive fire protection. Keep respiratory protective device available. · 7.2 Conditions for safe storage, including any incompatibilities · Requirements to be met by storerooms and receptacles: Store in a cool location. Store only in the original receptacle. · Information about storage in one common storage facility: Store away from foodstuffs. Store away from flammable substances. Store away from oxidising agents. · Further information about storage conditions:

Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

<sup>-</sup> EU

Printing date 24.03.2021

Version number 1

Revision: 24.03.2021

Trade name: Water soluble PVA film

· 7.3 Specific end use(s) No further relevant information available.

**SECTION 8: Exposure controls/personal protection** 

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

56-81-5 glycerol (0-8%)

AGW (Germany) Long-term value: 200 E mg/m<sup>3</sup>

2 (I);DFG, Y

14807-96-6 Talc (Mg3H2(SiO3)4) (1-2%)

MAK (Germany) asbestfaserfrei, alveolengängige Fraktion

- **Regulatory information** AGW (Germany): TRGS 900 MAK (Germany): MAK- und BAT-Liste
- **DNELs:** Data not available.
- **PNECs:** Data not available.

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- $\cdot$  Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure
- Appropriate engineering controls Keep away from foodstuffs, beverages and feed.
  Immediately remove all soiled and contaminated clothing.
  Wash hands before breaks and at the end of work.
  Avoid contact with the eyes and skin.
  See Section 7 for information about design of technical facilities.

· Personal protective equipment

- · Respiratory protection: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 5)

(Contd. of page 3)

**Printing date 24.03.2021** 

Version number 1

Revision: 24.03.2021

Trade name: Water soluble PVA film

· Environmental exposure controls:

(Contd. of page 4)

Control measures must be made in accordance with Community environmental protection legislation.

0.1 Information on basic physical and	chamical properties				
General Information on basic physical and G	chemical properties				
Appearance:					
Form:	Solid				
Colour:	Transparent				
Ddour:	Odorless				
Ddour threshold:	Data not available.				
oH-value:	Data not available.				
Change in condition:					
Melting point/freezing point:					
Initial boiling point and boiling rang	e: Data not available.				
Flash point:	Data not available.				
lammability (solid, gas):	Data not available.				
uto-ignition temperature:	Data not available.				
Decomposition temperature:	Data not available.				
Self-igniting:	Product is not selfigniting.				
Explosive properties:	Product does not present an explosion hazard.				
Explosion limits					
Lower:	Data not available.				
Upper:	Data not available.				
Dxidizing properties:	Data not available.				
apour pressure:	Data not available.				
Density:	Data not available.				
Relative density:	Data not available.				
Vapour density:	Data not available.				
Evaporation rate:	Data not available.				
colubility in / Miscibility with					
water:	Data not available.				
Partition coefficient: n-octanol/water:	Data not available.				
iscosity:					
Dynamic:	Data not available.				
Kinematic:	Data not available.				

# **SECTION 10: Stability and reactivity**

• 10.1 Reactivity No decomposition if used according to specifications.

· 10.2 Chemical stability Stable under recommended storage conditions.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

EU

Printing date 24.03.2021

Version number 1

Revision: 24.03.2021

Trade name: Water soluble PVA film

(Contd. of page 5)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

9002-89-5 polyvinyl alcohol

*Oral LD50 14,270 mg/kg (mouse)* 

23,900 mg/kg (rat)

9005-65-6 Sorbitan monooleate, ethoxylated

*Oral LD50 25,000 mg/kg (mouse)* 

151-21-3 sodium dodecyl sulphate

*Oral LD50 1,290 mg/kg (rat)* 

56-81-5 glycerol

Oral LD50 4,090 mg/kg (mouse)

12,600 mg/kg (rat)

27,000 mg/kg (rabbit)

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

 $\cdot$  Serious eye damage/irritation

Causes serious eye damage.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

 $\cdot$  Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and degradability No further relevant information available.

• **12.3 Bioaccumulative potential** No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

· 12.7 Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised. Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 7)

Printing date 24.03.2021

Version number 1

Revision: 24.03.2021

Trade name: Water soluble PVA film

(Contd. of page 6)

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging

• *Recommendation: Disposal must be made according to official regulations.* 

### **SECTION 14: Transport information**

Not applicable.					
Not applicable.					
Not applicable.					
Not applicable.					
100 appreciet.					
Not applicable.					
Not applicable.					
Not applicable.					
· 14.7 Transport in bulk according to Annex II of					
Not applicable.					
Not applicable.					

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· MAK(German Maximum Workplace Concentration)

14807-96-6 Talc (Mg3H2(SiO3)4)

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations:
- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- · SVHC Candidate List of REACH Regulation Annex XIV Authorisation (19/1/2021)

None of the ingredients is listed.

· REACH Regulation Annex XVII Restriction (25/1/2021)

See Section 16 for information about restriction of use.

None of the ingredients is listed.

• REACH Regulation Annex XIV Authorisation List (6/2/2020)

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

3B

<sup>·</sup> Directive 2012/18/EU

Printing date 24.03.2021

Version number 1

Revision: 24.03.2021

Trade name: Water soluble PVA film

(Contd. of page 7)

CDOTION 1	04	•	c ,•
<b>SECTION 16:</b>		ner ini	ormation
	~ ~		011110000010

#### · Relevant hazard statements

H228 Flammable solid.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.

#### · Classification according to Regulation (EC) No 1272/2008

Serious eye damage/eye irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

# 

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.

#### DISCLAIMER OF LIABILITY :

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

#### • Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Sol. 2: Flammable solids - Category 2 Acute Tox. 4: Acute toxicity - oral - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 

End of document